









Quality OEM Auto Engine Repair Tools:

ENGINE repair tools we offer a comprehensive collection of high quality engine repair, maintenance and tuning tools. You will find a range of tools designed to get the job done with minimum risk of damaging your engine parts while you work. We provide manufacturer services with OEM capabilities allowing you to customize tools.

Item	Tool Description
 AMR630E	15PC CUP TYPE OIL FILTER WRENCH SET The cup holds the oil filter tightly like a socket to prevent breaking of the filter.
 AMR978I	16PC CUP TYPE OIL FILTER WRENCH SET These cup-type filters are made of 7 & 16 gauge construction.
 WRF026L	OIL FILTER WRENCH The head of the wrench is adjustable and movable. Moreover, we provide you 3 other wrenches to work on different sizes of oil filter.
 WRF213L	HEAVY DUTY TRUCK OIL FILTER WRENCH Use with 1/2" square drive tool. 105mm to 120mm capacity. Also, other sizes are available.
 WRF216L	HEAVY DUTY TRUCK OIL FILTER WRENCH (BLACK COATING VERSION) 3 sizes are available at Chain. Sizes range are slightly different from WRF213L, WRF 214L, and WRF215L
 WRF038L	TRUCK AND TRACTOR OIL FILTER WRENCH, HEAVY DUTY TYPE 4" to 4-3/8" capacity. Heavy duty wrench for most of trucks
 WRF060L-B	THREE LEG OIL FILTER WRENCH Removes all oil filters from 1-1/2" to 4-3/4" in diameter.
 WRF153L-ADJ	ADJUSTABLE OIL FILTER PLIER Removes all oil filters up to 12".



[WRF168D](#)

[ADJUSTABLE OIL FILTER PLIERS HEAVY DUTY](#)

Slip-joint ratchet and lock mechanism allows a secure grip on filter ranging from 3-3/4" to 7" in diameter.



[WRF169D](#)

[ADJUSTABLE OIL FILTER PLIER SET, HEAVY DUTY](#)

Slip-joint ratchet and lock mechanism allows a secure grip on filter ranging from 2-1/4" to 5 " in diameter.



[WRF170D](#)

[2PC ADJUSTABLE OIL FILTER PLIER SET, HEAVY DUTY](#) Slip-joint ratchet and lock mechanism allows a secure grip on filter from 2-1/4" to 5 " / from 3-3/4" to 7" in diameter.



[AMM550L](#)

[PULLEY REMOVING WRENCH](#)

Ideal for removing and assembling any type of grooved pulley for POLY V-BELT..



[AMR597L](#)

[3 PCS HOSE PINCH-OFF PLIER SET](#)

A comprehensive specialised tool kit covering most popular carburetor and fuel injection systems.



[CLZ301L](#)

[3 PCS FLEXIBLE LINE CLAMP SET](#)

Special-radius jaws will not damage internal hose linings. Moreover, it is light and non-conductive.



[AMR269L](#)

[HOSE CLAMP PLIERS W/O JAWS](#)

Remove and installs new style flat band hose clamps.



[AMR580L](#)

[SPARK PLUG & VALVE STEM SEAM RING PLIERS](#)

Long neck designed to reach into confined area of the seal to grip it for removal.



[SSA060C](#)

[WATER PUMP SOCKET](#)

Varied size of sockets are available.



[AMR154I](#)

[7PC OXYGEN SENSOR SWITCH SOCKET SET](#)

7pc sockets set allow you to work on varied kind of vehicles.



[SSA151L](#)

[OIL PRESSURE SENDING UNIT SOCKET](#)

Two-step design can fit 1" and 1-1/16" oil pressure sending units..



[OIL PRESSURE SENDING UNIT](#)

For late model GM's with oil pressure gauges.

[SSA152L-1](#)



[VACUUM SWITCH SOCKET](#)

Remove and installs oxygen sensors easily.

[SSA202L](#)



[VALVE SPRING COMPRESSOR](#)

Easy of use in areas of difficult access.

[AMR032V](#)



[PISTON RING COMPRESSOR](#)

Ratchet type complete with Hex spanner. Various size are available

[AMR066C](#)



[6-1/2" PISTON RING COMPRESSOR \(STAINLESS STEEL\)](#)

Piston ring compressor for most of trucks and tractors. Capacity from 3-1/2" (90mm) to 7" (175mm).

[AMR071C](#)



[DIESEL ENGINE COMPRESSION TESTER SET](#)

Unique swivel end quick coupler allows the operator to connect the adapters quickly and easily.

[AMR778C](#)



[13PC DIESEL ENGINE SETTING & LOCKING KIT](#)

Specialist tools for locking position of crankshaft and camshaft.

[AMM405C](#)



[12PC ENGINE TIMING SET](#)

The crankshaft damper and damper bolt are both secured with locking compound.

[AMR946C](#)



[9 PCS CARBURETOR TUNING SET](#)

A comprehensive specialised tool kit covering most popular carburetor and fuel injection systems.

[AMR376C](#)



[SERPENTINE BELT TOOL](#)

Extension bar allows you to reach varied angle and far area.

[AMR308E](#)



[12PC DRAIN PLUG KEY SET](#)

Hex and square type of drain plug including 1pc T-bar.

[AMM070E](#)



[PLN025L-H](#)

4 IN 1 E-RING TOOL SET

2-side pat design can let you easily remove and insert the E-RING.



[AMR255L](#)

FLYWHEEL TURNER

Ideal for mechanics & DIY user to use the crankshaft to be in a specific position.



[AMM081L-H](#)

CV BANDING TOOL WITH CUTTER

Tool is easily removed by sliding sideways after winding has been completed.



[AMR985L-1](#)

CALIBRATED IGNITION TESTERS

Use to accurately check for spark in ignition systems without removing spark plug from engine.



[AMM155L](#)

ENGINE CHAIN LIFT

For easy removal of car and truck engines and other heavy units from chassis.



[AMM252L](#)

MOTORO ANGULAR TORQUE GAUGE

For the fasteners used on vehicles, automotive manufacturers are specifying both torque and angle settings.



[AMM653L](#)

7PCS CUP ROCKET SET

This tool enable cups to be installed smoothly w/o scratching O-ring cylinders.



[AMR199L](#)

MECHANIC'S STETHOSCOPE

Provide a fast and easy way to locate noises in engines or bearings and other moving parts.



[AMR198E](#)

I.C. MECHANIC'S STETHOSCOPE

Keep leads clear of fan blades, belts and all moving parts



[DRX045L](#)

2PC HOSE REMOVER SET

Handle color is black and its material is P.P. Easy use for removing hose.



[WRF078E](#)

3PC OIL FILTER WRENCH SET

Oil filter wrench kit for major European vehicles



[5PC OIL FILTER WRENCH SET \(MAZDA TYPE\)](#)

Oil filter wrench kit for MAZDA car

[WRF079I](#)



[BELT GAUGE](#)

Suitable for AUDI, Ford, Opel, VW, etc...

[AMM720L](#)



[V6 COMPLETE ENGINE SETTING/LOCKING TOOL KIT](#)

Designed to cover both the locking of the quad CAMS and the crankshaght. Special timing gauge included.

[AMM582V](#)



[CAMSHAFT & FLYWHEEL & LOCKING & HOLDING TOOL KIT](#)

8 piece timing locking tool kit. Most of imported and domestic car can be applied.

[AMM574E](#)



[ENGINE TIMING SPROCKET LOCKING DEVICE TOOL](#)

Designed to lock twin camshafts for timing marks during the replacement of timing belt. One person can operate it.

[AMM572L](#)



[UNIVERSAL TWIN/4 CAM LOCK TOOL \(GAS & DIESEL ENGINES\)](#)

To fit various diameters and tooth pitch. Altsernative to AMM572L

[AMM579L](#)



[18PCS 3/8" SQ. DR. MASTER DRAIN PLUG KEY SET](#)

CR-V material applied. Including sliding T-bar handle. Comes with plastic case.

[AMR1300E](#)



[ADJUSTABLE SPANNER WRENCH](#)

This is ideal for adjusting pillow block bearings.

[AMR356L](#)



[4PC FORD FAN CLUTCH WRENCH](#)

[AMM248E-1](#)