










Top Selling Automotive Air Conditioning Tools for auto repair

Auto AIR CONDITIONER (A/C) Tool we offer a wide range of A/C tools including some diagnostic tools. Manifold gauge and its related items /accessories are our top selling category.

Item	Auto Air Conditioning Tool Description
 AME501I	<u>FUEL INJECTION TEST KIT</u> Two gauges have dual reading function. All adapters and fittings provide speedy and efficient test. It is safe and accurate.
 AMC625C	<u>R12/R134a ALUMINUM MANIFOLD GAUGE SET W/ SIGHT GLASS</u> Confirms movement and condition of refrigerant passing through the manifold by sight glass.
 AMC045C	<u>R12 TO R134a CONVERSION KIT</u> Converts R12 gauges to R134a gauge.
 AMR760E	<u>DELUXE NOID SET IAC SIGNAL TESTER</u> Its provides direction to the idle air-control motor on GM vehicles.
 AMR759E	<u>ELECTRONIC FUEL INJECTION TEST SET</u> It has two more noids tester than ANR760E.
 AMR761I	<u>12PC DELUXE NOID LIGHT/IAC TEST KIT</u> This is a complete set with all the most useful noid light plus 4" cable. Moreover, it includes spark tester which helps you to identify dead spark.
 AMR659E	<u>POWER STEERING TESTER</u>
 AMM496E	<u>FUEL & TRANSMISSION LINE DISCONNECT TOOL SET</u> Its provides direction to the idle air-control motor on GM vehicles.
 AMM499V	<u>6 PC DISCONNECT TOOL SET</u> Multi-function disconnect tool set for Ford series car.



[AMR578C](#)

[FULL -COVERAGE DISCONNECT TOOL SET](#)

This set serve on heater hoses, transmission oil coolers, air conditioning, and fuel lines.



[AMR575D](#)

[9PC DISCONNECT TOOL SET](#)

9 separate tools for disconnecting fuel, transmission, and A/C connectors.



[AMR779L](#)

[FUEL LINE DISCONNECT TOOL SET](#)

Design for uncoupling quick release fittings on fuel line to most of the cars.



[AMC030E](#)

[UNIVERSAL AIR CONDITIONING ADAPTER SET](#)

Multi-function adapter set for Ford and GM series air conditioner.



[AMR730E](#)

[AIR CONDITIONING COMPRESSOR/ CLUTCH](#)

Apply for many manufactures of compressors maker.



[AMR900V](#)

[GM SEAL SET\(FOR A6, R4, LATE DA6, HR-6, V5, 6 POLE R4\)](#)

The professional seal set for GM series car.



[AMR901V](#)

[SPECIAL GM DA6 SEAL SET](#)

A specialized seal set for GM DA6.



[AMR904V](#)

[FORD FX-15/FS-10 SERVICE SEAL SET](#)

A specialized seal set for Ford FX-15/FS-10.



[AMR905V](#)

[MASTER SEAL SERVICE TOOL SET](#)

Once you have this 36 pcs seal set, you will need no more seal tools.



[AMR907V](#)

[DELUXE ORIFICE TUBE KIT](#)

Includes all the specialized tools needed for removing & replacing all types of orifice tubes.



[AMR916I](#)

[R134a RETROFIT TOOL KIT](#)

For R134a & R12 valve core tool.



[AMC013R-A](#)

[AIR CONDITIONER SYSTEM FLUSH GUN KIT](#)

Recover refrigerant from air conditioning system in accordance with laws.



[AMC800R](#)

[CANISTER-TYPE FUEL INJECTOR CLEANER](#)

It is easier and faster than cleaning fuel by aerosol methods.



[AMC090R](#)

[FUEL INJECTION CANISTER CLEANER - 2 GAUGES](#)

Two gauges enable a Technician to check the fuel pressure with the bottom gauge when referring the top gauge.



[AMR577L](#)

[COMPRESSOR OIL INJECTOR ADAPTER FOR AIR CONDITION](#)

It works for air conditioning system when adding refrigerant.



[AMC049D](#)

[CONDENSER FIN COMB](#)

6 head for 6, 8, 10, 12, 14, 15 fins per inch application. Also, another application for 10.5, 11, 13, 18, 20, 22 fins per inch is available!



[AMC060D](#)

[3 IN 1 R134a/ R12 SIDE MOUNT CAN TAP VALVE](#)

Adjustable holder for 3 different sizes of can.



[AMC061D](#)

[R134a CAN TAP VALVE SCREW ON](#)


Specially designed for 16oz and smaller 12-1349 refrigerant cans.



[AMC063D](#)

[R134a CAN TAP VALVE SCREW ON](#)

Built-in safety valve.



[AMR981I](#)

[TANK LEAKAGE TESTER KIT](#)

This set can work on varied kinds world-wide radiator system. Colorful adapters allow you to identify the objects.



[AMR133I](#)

[VACUUM TESTING/BRAKE BLEEDING KIT](#)

It includes complete fittings and accessories for vacuum testing and brake bleeding. The gun is 2-way function (push & suction)



COOLING SYSTEM & RADIATOR CAP PRESSURE TESTER

Testing of the radiator in professional way. Works for GM, Mercedes, Ford, Chrysler, Acura, Honda, Toyota, Nissan, and much more! Includes 5 adapters + 2 cap adapters.

AMR652I



COOLING SYSTEM & RADIATOR CAP PRESSURE TESTER (EXTRA DEVICES)

Includes 14 adapters + 2 cap adapters + Extra Devices for more vehicles, which not covered with 14 adapters attached. Works for GM, Mercedes, Ford, Chrysler, Acura, Honda, Toyota, Nissan, BMW, Passa, Golf, Saab, Opel...etc., etc..

AMR653I



PNEUMATIC FLUID EXTRACTOR

Extract within 3 Min. for 5 liter engine oil and also can be used on various kinds fluid.

AMM514R



9 LITERS MANUAL & PNEUMATIC FLUID EXTRACTOR

A large 9.0 liter (2.35gallon) capacity and can be operated by both manual (hand pump) and pneumatic (compressor) way.

AMM519C



VACUUME PUMP

Quality vacuum pump at competitive price! Various types of vacuum pumps are available at Chain Auto Tools.

PPY002R



INFRARED THERMOMETER WITH LASER MARK FUNCTON

CE approved product. Auto data hold function, auto power off function, and many other function installed.

MET551L



DIGITAL THERMOMETER

Temperature scale range is between -58 to 392°F (-50 to 200°C). 1" dial size. Convenient and compact thermometer for cars, house a/c, and other situations.

AMC582A



STANDARD VALVE CORE REMOVER / INSTALLER

Double ended for easy replacement of standard and GM large bore valve cores

AMC770R



[AMC779R](#)

R134a VALVE CORE REMOVER AND INSTALLER

For 13mm and 16mm high and low service port standard type valve



[AMC003D](#)

STANDARD VALVE CORE REMOVER / INSTALLER

Lever position gives visual indication of whether valve is opened or closed



[AMC750L](#)

UNIVERSAL VALVE CORE REMOVER-R134a LARGE BORE REMOVER

Used for R12/R134a standard as well as JIRA/EATON bore R134a cores



[AMC300L](#)

FORD & GM ORIFICE TUBE REMOVER / INSTALLER

Used on all GM (CCOT) and Ford (FOTCC) systems with evaporator inlet orifice tube



[AMC752L](#)

CONTROL VALVE

1/4" FFL x 1/4" MFL. Ideal for use on charged systems. Eliminates refrigerant, oil, or dye from spraying during connections. Brass body with 1/4" FFL swivel



[AMC754L](#)

R12 THREAD REPAIR TOOL

R12 1/4", 3/16", AND 1/8" threads-a must to ensure R134a retrofit adapters fit securely



[AMC066R](#)

HAND TURN DYE INJECTOR

Injector 1/4 to 2 ounce of fluorescent dye into R12 or R134a A/C system under pressure



[AMC067R](#)

STANDARD OIL INJECTOR

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process. 1/2" ACME-M * 1/2" ACME-F (R134a)



[AMC064R](#)

STANDARD OIL INJECTOR

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process. 1/4" FFL * 1/4" MFL



[AMC062R](#)

EASY CONNECT OIL INJECTOR

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process.
13mm-M x 13mm-F low side coupler (R134a)



[AMC065R](#)

EASY CONNECT OIL INJECTOR

Adding oil by allowing vacuum to pull it in after the evacuation process or use refrigerant to push it in using the recharge process.
1/4" FFL * 1/4" MFL



[TLT1000P](#)

REFRIGERATION BASIC TOOL KIT

Standard tool kit for refrigerant professionals. Including charging hoses, wrench, reamer, fin straightener, etc. This kit comes with plastic box for easy storage.



[AMM930E](#)

AIR CONDITIONING SEAL INSTALLATION AND REMOVAL TOOL KIT

Seal removal tool for worn seals on pipes and seal installing for each current seal size (#6, 8, 10 and 12). Anodized aluminum applied to protect seals and pipes